

NIYERSITY DEPARTMENT 153 OCEANOGR AD-A-077866 Technical Report No. 70 RECOVERY OF DRIFT BOTTLES RELEASED IN THE 860 SOUTHEASTERN CHUKCHI SEA AND NORTHERN BERING SEA by Richard H. Fleming and Diane Heggarty **Brown Bear Cruise 268** 08 29 26 July to 28 August 1960 U.S. Atomic Energy Commission Contract AT-45-1-540 Office of Naval Research Contract Nonr-477(10) Project NR 083 012 3 DOC FILE COPY UTION UNLIMITED

SEATTLE 5, WASHINGTON


MAY 11 1962

CCLUMBIA UNIVERSITY

R US II LABORATORIES

CONTRACT Room-200(34)

UNIVERSITY OF WASHINGTON DEPARTMENT OF OCEANOGRAPHY Seattle 5, Washington



SOUTHEASTERN CHUKCHI SEA AND NORTHERN BERING SEA

Richard H./Fleming and Diane/Heggarty

Brown Bear Cruise 268, 26 July to 28 August 1960.

14) TR-70, REF-M62-7

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

U. S. Atomic Energy Commission Contract AT (45-1)-540

Office of Naval Research
Contract Nonr-477(10), A7(45-1)-540
Project NR 083 012

Reference M62-7 February 1962

12 22

RICHARD H. FLEMING

Reproduction in whole or in part is permitted for any purpose of the United States Government.

370280

MAY 11 1962

TABLE OF CONTENTS

INTRODUCTION	1
DESCRIPTION OF BOTTLES	1
5-METER CURRENTS	1
1960 RETURNS	2
1961 RETURNS	3
DISCUSSION	4
SUMMARY	6
ACKNOWLEDGMENTS	7
REFERENCES	7
APPENDIX I	9
APPENDIX II	10

	GRA&I	W
DDC T		
Unann	ounced	
Justi	fication	
3A		
istr	imution/_	
		0.3.5
	Tark triters	
<u> </u>	lability_	
<u>Avei</u>	Avail and	l/or
Avsi 1sh	,	l/or
	Avail and	l/or

LIST OF FIGURES

1.	Stations at which drift bottles were released. The 1960 populations of villages are shown in parentheses following place names. Brown Bear Cruise 268, 26 July - 28 August 1960 11
2.	Stations at which drift bottles were released. One return is indicated. Insert shows one release point in Beaufort Sea. C.G.C. Northwind WAGB-282, 12 October - 28 November 1960 12
3.	Bottles used in drift experiment
4.	Information cards contained in drift bottles
5.	Currents at 5 meters. Vectors indicate the observed speed and direction of the current. Brown Bear Cruise 268, 26 July - 28 August 1960
6.	Drift bottle recoveries reported prior to December 1, 1960. Total number of recoveries from each station is shown in parentheses at release point. Station of origin and number of recoveries are indicated at each recovery point. (Round dot - station of origin; square - recovery point) Brown Bear Cruise 268, 26 July - 28 August 1960
	Drift bottle recoveries reported between December 1, 1960 and January 1, 1962. Total number of recoveries from each station is shown in parentheses at release point. Station of origin and number of recoveries are indicated at each recovery point. (Round dot - station of origin; square - recovery point) Brown Bear Cruise 268, 26 July - 28 August 1960
8.	Drift bottle recoveries reported from Russia during the summer of 1961. Total number of recoveries from each station is shown in parentheses at release point. Station of origin, number and date of recoveries are indicated at each recovery point. (Round dot - station of origin; square - recovery point) Brown Bear Cruise 268, 26 July - 28 August 1960

INTRODUCTION

During July and August of 1960, the Department of Oceanography, University of Washington, conducted an oceanographic survey of the northern Bering and southeastern Chukchi Seas. Brown Bear Cruise 268 was a part of Phase Three of Project Chariot and was jointly supported by the Office of Naval Research and the U.S. Atomic Energy Commission.

During the summer of 1959, the department made a survey of a more limited area in the same region. The studies in 1959 in the southeastern Chukchi Sea showed fairly strong northerly currents and pronounced east-west gradients in the distributions of properties. Because of the importance of the currents in controlling the physical, chemical and biological conditions, the 1960 survey was designed to verify the 1959 data and to obtain more complete observations on the currents (Fleming and Staff, 1960-61).

Part of the program to study the surface currents in the summer of 1960 was the release of drift bottles. A total of 1653 bottles was released at 35 locations in the northern Bering Sea and the southeastern Chukchi Sea (Figure 1). Approximately 50 bottles were released at each of 5 stations in the Bering Sea, at 3 stations in Bering Strait and at 27 stations in the southeastern Chukchi Sea. In October and November of 1960, the U. S. Coast Guard icebreaker Northwind (WAGB-282) released 200 bottles of the same type (University of Washington, Department of Oceanography, Unpublished). Bottles were released at one station in the Beaufort Sea, 5 stations in the Chukchi Sea and 2 stations in the Bering Sea (Figure 2).

DESCRIPTION OF BOTTLES

The bottles used were 6-ounce, long-necked bottles, ballasted with sand so that an inch of the neck protruded above the water (Figure 3). Cards were enclosed containing instructions to the finder, in English, Japanese and Russian, to break the bottle and to report the recovery to the Department of Oceanography (Figure 4). The finder was asked to state when and where he found the bottle and a \$1.00 reward was given for each card returned. The cards were numbered so that the release point of the individual bottle could be identified. The bakelite screw caps were sealed with a microcrystalline wax. No particular effort was made to provide for a long life of the drift bottles because it was felt that returns after the first summer would be difficult to interpret. However, during the summer and fall of 1961, a total of 33 recoveries was reported, indicating that the bottles were capable of surviving at least one winter.

5-METER CURRENTS

Observations made in 1959 had indicated that the currents at a depth of 5 meters were representative of the near-surface flow. These observations also showed that, in much of the area, tidal currents and

other periodic currents that might be associated with internal waves or inertial movements were small compared to the "permanent" flow. During 1960, 5-meter current measurements were made for brief periods at the locations shown in Figure 5. All observations were made with a recording Magnesyn current meter, a modification of the von Arx meter (von Arx, 1950). The threshold velocity of this instrument is approximately 0.2 knot.

The current measurements from the northern Bering Sea are probably inadequate to properly define the surface circulation in this area. However, it is clear that the dominant feature both here and in the Chukchi Sea is the general northward movement of the water. This movement is modified by the coastal outline and by the bottom topography. Winds must also affect the circulation pattern but no clear understanding of the effect of the wind could be drawn from the observations made in 1959 and 1960.

In general it can be stated that the currents tend to follow the depth contours rather than the coastal outline. For example, the northward flow through Bering Strait continues a considerable distance beyond Cape Prince of Wales before turning towards the east and the development of the shoal in this area is undoubtedly associated with this flow pattern.

Similar conditions apparently prevail at Point Hope. In both locations clockwise eddies appear to be present to the north and east of these points. No current observations are available from Norton Sound but the distribution of temperature and salinity in the adjacent areas indicates that the flow during the summer months is dominated by a counter-clockwise movement.

The general features of the surface circulation based on the 5-meter current measurements have been used in constructing the probable trajectories of the drift bottles.

1960 RETURNS

By December 1, 1960, the recovery of a total of 129 bottles had been reported to the Department of Oceanography (Figure 6). By this time of the year, ice covered most of the region and no returns were reported until the following summer.

Recoveries from station 9 near the mouth of the Yukon River were reported from St. Michael and Shaktolik in Norton Sound. Bottles from the Bering Sea stations 12, 19, and 23 were found with greatest frequency at Shishmaref and Cape Espenberg. Station 19 had the largest percentage of recoveries from stations south of the Strait, namely 39 percent. One bottle from this group was recovered at Ekpeek, just north of Cape Prince of Wales. Only one bottle from a Bering Strait station was recovered in 1960, a single bottle from station 30 being found near Shishmaref.

North of the Strait, station 31 had a 56 percent recovery, the greatest number of bottles being found at Shishmaref. The only offshore station that had any returns was station 37 from which one bottle was recovered near Ogotoruk Creek. Bottles from stations 42 and 52, both inshore locations, were recovered in fairly large numbers on the coast at Cape Thompson and Point Hope. Bottles from station 43 drifted onto the beach near Kivalina and 96 percent of the bottles were recovered.

Average speeds of drift have been computed for the recoveries made in 1960 (Appendix I). Although such estimates are uncertain because of the unknown trajectories followed, and tend to be minimal because of the unknown periods of time the bottles were on the beach before being found, these drift speeds are in the same general range as those obtained from the current measurements. Both brief drifts, on the order of a few days-for example, recoveries from station 42 and 43--as well as longer drifts, on the order of 50 or more days--for example, recoveries from stations 9, 12, 19 and 23--indicate average speeds of between 0.1 and 0.5 knots.

In a few cases where the duration of the drift was very short--for example the recoveries at Point Hope of bottles from station 42--it is probable that the dates of recovery were incorrectly reported by the finders. The last column in Appendix I gives the average speeds of drift along the trajectories shown in Figure 6, based on the current speeds observed at a depth of 5 meters (Figure 5).

1961 RETURNS

Thirty three bottles were returned to the Department of Oceanography between the ice break-up in the summer of 1961 and January 1, 1962 (Figures 7 and 8 and Appendix II). Releases from several additional stations were represented among these recoveries. The most distant drifts among these recoveries were for bottles found in Russian waters from five stations in Bering Strait and the Chukchi Sea (Figure 8). One return from station 28, the western station in Bering Strait, was found near the mouth of the Rau-Chua River on the East Siberian Sea. Two bottles from station 41 and one from station 50 were also recovered from near the Rau-Chua River. Another Russian recovery was a station 37 bottle which was found near Cape Schmidt in Siberia. One bottle from station 98 was found on the south coast of Wrangel Island. The bottles from stations 28 and 37 probably followed the same general trajectory as the bottles from 41, 50 and 98. One went into Wrangel Island, one was caught in the current running south along the Siberian Coast and the other four continued to the mouth of the Rau-Chua River on the coast of the East Siberian Sea.

The recovery dates of these bottles--approximately one year after their release--reflect the distances they drifted. The Wrangel Island recovery from station 98 was made near the end of June, as was the station 37 recovery near Cape Schmidt. The bottles from stations 28 and 41 were recovered between August 20 and 23, 1961, at the mouth of the Rau-Chua River, and the station 50 bottle was recovered at the same place on September 8, 1961.

H ES IN LABORATO IES COMMARCE Kour-266(84) The comments concerning the Russian recoveries imply that the bottles did not reach the recovery localities until the summer of 1961. Minimum trajectories are about 360 nautical miles for the bottle found on Wrangel Island and in excess of 600 miles for the bottles found near the mouth of the Rau-Chua River. Ice cover in the area is complete by late October so that the bottles would be frozen in the pack ice approximately two months after release. To have completed their drifts in a two month period would have required average speeds of between 0.25 and 0.5 knots. It is possible for the bottles to have completed their drift by October 1960, but this is considered as unlikely because the trajectories were undoubtedly longer than the distances mentioned. It is therefore believed that the bottles were frozen into the ice and drifted with the pack for a major part of the time they were at sea.

The recoveries in 1961 from the coast of Alaska confirmed the returns reported the previous year. Returns from station 9 at Shaktolik in the eastern part of Norton Sound and at Cape Wooley and Cape Douglas, located to the north of Norton Sound, further confirmed a counterclockwise circulation in the Sound. Other recoveries of bottles released in the Bering Sea and in the southern Chukchi Sea were concentrated in the Shishmaref - Cape Espenberg region. Further to the north, bottles from inshore stations 42 and 52 were again recovered near Point Hope.

By January 1, 1962, only one bottle had been recovered from the Northwind releases. A bottle from station 2.70, to the east of St. Lawrence Island, was recovered in the vicinity of Cape Nome (Figure 2).

DISCUSSION

During the summer of 1960 a total of 1653 drift bottles was released at 35 locations in the northern Bering and southeastern Chukchi Seas. During October and November a total of 200 additional bottles was released at eight stations extending from Bering Sea to the Beaufort Sea. Prior to December 1, 1960, a total of 129 recoveries had been reported from the summer releases representing a 7.8 percent return. During the following year, 33 additional recoveries were reported to increase the total to 9.8 percent of the bottles released during the summer cruise.

This was a much higher recovery rate than had been anticipated and merits some explanation. First, it must be recognized that most of the Alaskan coastline in the Chukchi Sea is made up of beaches of sand and fine gravel, therefore bottles reaching the beach are not likely to be smashed. Furthermore, the inhabitants of the villages in the area spend considerable time on the beaches near their homes collecting drift wood. During the summer months the beaches are the principal routes of land travel and other activities and it is probable that the large number of recoveries must be attributed in part to the effective combing of the beaches. The populations of the principal coastal villages are shown in Figure 1. These are based on the 1960 census.

One striking aspect of the survey was the relatively large number of recoveries from the beaches near Shishmaref, Cape Espenberg, Kivalina

and Point Hope. Of the 162 recoveries reported in 1960-1961, 79--or 49 percent--were from the Shishmaref - Cape Espenberg area, 46--or 28 percent--from near Kivalina, and 28--or 17 percent--from near Point Hope. As these four localities are at or near the sites of villages, this local concentration of reported recoveries may be partly due to the intensity with which the nearby beaches are scanned.

One of the puzzling anomalies in the reported recoveries is the lack of any returns from Kotzebue Sound. No bottles were released in that area but the relatively large numbers found near Cape Espenberg and the general character of the circulation suggests that a number of bottles might have been carried into the Sound. In addition to Kotzebue there are three villages in the southern part of the Sound from which recoveries might have been anticipated.

A number of bottles released in the Bering Sea were recovered in the Shishmaref - Cape Espenberg area. Furthermore, over 50 percent of the bottles released at station 31 was found in the same area during the summer of 1960. It is therefore surprising that only one bottle was recovered from the releases at station 30 and none from stations 32, 33 and 40.

With the exception of bottles from stations 31 (and a single bottle from station 37 found at Ogotoruk Creek) all of the recoveries on the Alaskan beaches from releases made in the Chukchi Sea were from the stations close to the coast. As already mentioned, this does not imply that bottles from all nearshore stations were recovered. The lack of recoveries on the Alaskan coast from the "offshore" stations indicates that the greatest number of bottles were carried northward and into the Arctic basin. The recovery during 1961 of six bottles on Wrangel Island and the north coast of Siberia—all from "offshore" stations (28, 37, 41, 50 and 98)—confirms this interpretation. The only anomaly in this case is that one bottle from station 37 was recovered at Ogotoruk Creek in 1960.

Historically, there is little direct evidence of the flow from Bering Strait to the Siberian coast. Many whaling ships were trapped in the ice between 1850 and 1900 but observations of their drift are generally unavailable. In 1881 Captain C. L. Hooper of the Revenue Marine Cutter, Thomas Corwin, reported that part of a vessel that burned south of Bering Strait was found near Herald Island. Hooper also reported that the whaling bark, Vigilant, trapped in the ice near Herald Island in early October 1879, was sighted from the eastern coast of Siberia the following October (Hooper, 1884).

The direction of flow in the strait between Wrangel Island and the mainland of Siberia has also been in doubt. Captain Hooper, while cruising August 4, 1881, in Proliv Longa (De Long Strait), reported a current set of 12 miles per day in a west-northwesterly direction. The wind at the time was light and variable. Yu. A. Gorbunov in 1957 published a paper on the water exchange through Proliv Longa (Gorbunov, 1957). Current measurements were made in 1952, 1953 and 1956 with both current meters and radio buoys. Gorbunov came to the conclusion that the current direction and velocity in the Strait is dependent on the wind regime.

With continuing southeasterly and easterly winds, the water transport is from the Chukchi to the East Siberian Sea. Under steady winds from the west and northwest, water transport is from the East Siberian to the Chukchi Sea. With unsteady winds, the exchange has a more complicated pattern.

Winds are apparently the most important factor in the general drift in the northern Chukchi Sea. Sverdrup believed that at the boundary of the Chukchi Sea the winds are directed to the west and that the average drift takes place in that direction. This westward drift is shown by the drift of the Karluk in 1913 (Sverdrup, 1956). The Karluk was frozen into the ice north of Lion Reef in the Beaufort Sea September 30, 1913, and sank near Herald Island on January 11, 1914, at 72°11' N and 174°36' W (Bartlett, 1916; U. S. Hydrographic Office, 1958).

It is always difficult to explain precisely how drift bottles do get washed ashore. Onshore transportation must be furnished either by wave action or by action of the wind on the exposed portion of the bottles which would cause them to sail relative to the water. Winds during the summer (June-August) appear to be dominated by air movements either from the northerly or southerly quadrants with the northerly winds being stronger at Point Hope and the southerly winds stronger in Bering Strait (U. S. Coast and Geodetic Survey, 1954; U. S. Weather Bureau, 1944). Westerly winds dominate at Kotzebue. At Shishmaref, where only directions have been reported, the winds are almost equally divided between northerly and southerly (U. S. Weather Bureau, 1944). During the autumn quarter (September-November) the northerly winds increase in frequency and intensity, and consequently the winds of late summer and early autumn may be the principal factor in the relatively large number of recoveries in the Shishmaref - Cape Espenberg area. Although observations from Ogotoruk Creek indicate a predominance of offshore winds during the late summer and autumn, there are periods of several days duration with onshore winds (U. S. Weather Bureau, unpublished). It must be admitted, however, that the climatic wind conditions in the southeastern Chukchi Sea do not offer any obvious solution as to why so many of the bottles in the inshore water did reach the beach.

In view of the relatively high percentage of recoveries from bottles released in the Bering Sea it is unfortunate that more releases were not made in these waters.

SUMMARY

- 1. During August 1960, a total of 1653 drift bottles was released in the northern Bering and southeastern Chukchi Seas. During October and November 1960, 200 additional releases were made.
- 2. Prior to 1 December 1960 a total of 129 recoveries was reported from the releases made in August. During the summer and fall of 1961, 34 additional recoveries were reported, 33 from the summer stations and one from the fall releases.

- 3. The recoveries confirm the general northward transport of water in the area. Virtually all recoveries along the Alaskan coast of bottles released in the Chukchi Sea were from stations located near the coast.
- 4. During 1961 six recoveries were reported from the USSR, one from Wrangel Island and the others from the Siberian coast.

ACKNOWLEDGMENTS

The authors wish to acknowledge the assistance of Dr. Robert G. Paquette and Mr. Gerald Schimke who selected the type of bottle to be used, designed the enclosed cards and supervised their preparation for release. Our thanks are also extended to the many individuals who reported finding the bottles. Without their cooperation there would have been no report to make. Financial assistance in this project was provided by the Office of Naval Research and the Atomic Energy Commission.

REFERENCES

- Bartlett, Robert A. and Hale, Ralph T.
 1916. The last voyage of the <u>Karluk</u>. Small, Maynard and Co.,
 Boston, 329 pp.
- Fleming, Richard H. and Staff
 - 1960. Preliminary report of <u>Brown Bear</u> cruise 268, second oceanographic survey of the Chukchi <u>Sea</u>, October 1960. University of Washington, Department of Oceanography, Ref. 60-54 (unpublished) 10 pp. plus 10 pp. of maps, tables, etc.
 - 1960. Progress report as of 31 December 1960, Brown Bear cruise 268, second oceanographic survey of the Chukchi Sea, December 1960. University of Washington, Department of Oceanography, Ref. 60-63 (unpublished) 6 pp.plus 3 pp. maps.
 - 1961. Physical and chemical data for the Eastern Chukchi and Northern Bering Seas, Brown Bear cruise 236 2 August to 1 September 1959, Brown Bear cruise 268 26 July to 28 August 1960. University of Washington, Department of Oceanography, Technical Report 69. 162 pp.
- Gorbunov, Yu. A.
 - 1957. On the water exchange between the East Siberian and Chukchi Seas through De Long Strait. (translation) Problemy Arktiki, no. 1, pp. 35-40.
- Hooper, C. L.
- 1884. Report of the cruise of the Thomas Corwin in the Arctic Ocean in 1881. Government Printing Office, Washington, D. C., 147 pp.

Sverdrup, Harald U.

- 1956. Oceanography of the Arctic, in The dynamic north. Technical assistant to chief of naval operations for polar projects (Op-O3A3), Washington, D. C., 32 pp.
- U. S. Coast and Geodetic Survey
 - 1954. United States coast pilot 9 Alaska Cape Spencer to Arctic Ocean. U. S. Government Printing Office, Washington, D. C., 673 pp.
- U. S. Hydrographic Office
 - 1958. Oceanographic atlas of the polar seas, Part II, Arctic. U.S. Hydrographic Office Publication No. 705, Washington, D. C., 149 pp.
- U. S. Weather Bureau
 Local climatological data for 1959-1961 from the Chariot Site at Cape Thompson, Alaska. (unpublished)
 - 1944. Weather summary Alaska area. U. S. Hydrographic Office Publication No. 526, Washington, D. C., 279 pp.
- University of Washington Department of Oceanography
 Physical and chemical data of C.G.C. Northwind (WAGB-282) in
 the Beaufort and Chukchi Seas during October and November
 1960. (unpublished).
- Von Arx, William S.
 - 1950. Some current meters designed for suspension from an anchored ship. Journal of Marine Research, vol. 9, no. 2, pp. 93-99.

APPENDIX I

Recoveries Reported Prior to December 1, 1960

Release Point Station No.	Recovery Point	No. of Bottles	Percentage Return	Fastest Time of Travel (days)	Average Time of Travel (days)	Estimated Speed (knots)	Estimated Speed from 5 m currents (knots)	
6	St. Michael	1			677	.10	. 50	
6	Shaktolik	1	1.9		69	010	05°	
12	Shishmaref	2			15	. 20	07°	
12	Cape Espenberg	7	12,8		45	.20	07°	
19	Shishmaref			13		.50	.30	
19	Shishmaref	12			34	. 20	8.	
19	Ekpeek	1			29	,10	°50	
19	Cape Espenberg	6	39.3		15	.20	.30	
23	Shishmaref	77			5	.20	° 50	
23	Cape Espenberg	1	12,0		52	,20	°50	
30	Shishmaref	7	2.1		10	°30	.30	
31	Shishmaref			11		,10	ϡ,	
31	Shishmaref	23			21	,10	.30	
33	Cape Espenberg	7	26.4		15	،30	٠,30	
37	Ogotoruk Creek	7	2.1		22	07.	ڰٛ	
775	Point Hope			5		2.0	8.	
775	Point Hope	~			7	.90	8.	
42	Ogotoruk Creek	8	10.4		9	8	07.	
43	Kivalina	97	0°96		70	,20	°50	
52	Point Hope			0			٠. 5.	
52	Point Hope	10			16	.10	٠, 5	
52	Cape Thompson	Μ	27.0		15	.03	9.	

APPENDIX II

Recoveries Reported Between December 1, 1960 and January 1, 1962

Percentage Return 1960 and 1961		17.4	23.5	52.0	18.8	2,1		9,79	4.2	4.2		16.7	2,1		29.2	2.8	
No. of Bottles	77	L 7	нν	00	27	1	(<i>w</i> ப		2		σ	1		1	7	чч
Recovery Point	Shaktolik Cape Wooley	Cape Douglas Cape Espenberg	Wales Care Remembers	Shishmaref	Cape Espenberg Shishmaref	Siberia - Mouth of	Rau-Chua River	cape Espenderg Shishmaref	Cape Schmidt	Siberia - Mouth of	Rau-Chua River	Point Hope	Siberia - Mouth of	Rau-Chua River	Point Hope	S. Coast of Wrangel Island	Cape Nome Cape Espenberg
Release Point Station No.	000	12	12	19	3.3	28	12	3.5	37	41		775	50		52	86	Northwind 2.70 Station unknown




Figure 1 SEE LIST OF FIGURES, PAGE V





Figure 2

SEE LIST OF FIGURES, PAGE V



all blanks Gomenyucta Sanoahunte にの乗るもこっに the half abyryo vacts 3700 Haptsi にかまる事を から goment for a nover of an an nover of a	Please Thumine なっての子を変化 OTHER HALF OF THIS CARD. HACTD 370A KAPTU APPROALETHE APPLYING OTHER HALF OF THIS CARD. HACTD 370A KAPTU APPLYING OTHER HALF OF THIS CARD. HACTD 370A KAPTU APPLYING WARTU APPLYING WAS 13 つっつ体の 大文文であって下 は、 これ Man で OTPD 18 a を 1 まい は 1 まい は 1 は 1 は 1 は 1 は 1 は 1 は 1 は 1 は 1 は	(本) 近 近 近 近 近 近 近 近 近 近 近 近 近 近 近 近 近 近 近
--	---	---

Figure 4

フシントン大学 海洋学的 は

を事を呈します

Ros-Fo 他の半分と お色に下かた カに下かた




Figure 5

SEE LIST OF FIGURES, PAGE V

FOR CAPTION




Figure 6

SEE LIST OF FIGURES, PAGE V

FOR CAPTION




Figure 7

SEE LIST OF FIGURES. PAGE V




Figure 8

DISTRIBUTION LIST

1 Director of Defense Research & Engineering Attn: Coordinating Committee on Science Pentagon Washington 25, D. C.

Navy

2 Office of Naval Research Geophysics Branch (Code 416) Washington 25, D. C.

Office of Naval Research Washington 25, D. C. 1 Attn: Biology Branch (Code 446) Surface Branch (Code 463) Undersea Warfare (Code 466) 1 Special Projects (Code 418) 1

- Commanding Officer Office of Naval Research Branch 495 Summer Street Boston 10, Massachusetts
- 1 Commanding Officer Office of Naval Research 346 Broadway New York 13, New York
- 1 Commanding Officer Office of Naval Research Branch The John Crerar Library Building 86 East Randolph Street Chicago 1, Illinois
- 1 Commanding Officer Office of Naval Research Branch 1000 Geary Street San Francisco 9, California
- 1 Commanding Officer Office of Naval Research Branch 1030 East Green Street Pasadena 1, California
- 10 Commanding Officer Office of Naval Research Branch Navy #100, Fleet Post Office New York, New York

- 1 Contract Administrator Southeast Area Office of Naval Research 2110 "G" Street, N. W. Washington 7, D. C.
- 1 Resident Representative Office of Naval Research University of Washington Seattle 5, Washington
- 6 Director Naval Research Laboratory Attn: Technical Services Information Officer Washington 25, D. C.
 - Hydrographer U. S. Navy Hydrographic Office Washington 25, D. C. Attn: Library (Code 1640)

Chief, Bureau of Ships Department of the Navy Washington 25, D. C. 1 Attn: Code 312 Code 3410

1 Code 631 Code 688

> Chief, Bureau of Naval Weapons Department of the Navy Washington 25, D. C.

1 Attn: FASS RU-222

- Office of the U. S. Naval Weather Service U. S. Naval Station Washington 25, D. C.
- 1 Chief, Bureau of Yards & Docks Office of Research Department of the Navy Washington 25, D. C. Attn: Code 70
- 1 Commanding Officer & Director U. S. Navy Electronics Laboratory San Diego 52, California
- 1 Attn: Code 2201 Code 2420

- 1 Commanding Officer & Director U. S. Naval Civil Engineering Laboratory Port Hueneme, California Attn: Code L54
- 1 Commander, Naval Ordnance Lab White Oak, Silver Spring, Maryland Attn: E. Liberman, Librarian
- 1 Commanding Officer Naval Ordnance Test Station China Lake, California
- 1 Attn: Code 753
- 1 Code 508
- 1 Commanding Officer Naval Radiological Defense Lab San Francisco, California
- 1 Commanding Officer U. S. Naval Underwater Sound Lab New Londong, Connecticut
- 1 Commanding Officer
 U. S. Navy Mine Defense Lab
 Panama City, Florida
- 1 Officer in Charge U. S. Navy Weather Research Facility Naval Air Station, Bldg. R-48 Norfolk, Virginia
- 1 Commanding Officer
 U. S. Navy Air Development Center
 Johnsville, Pennsylvania
 Attn: NADC Library
- 1 Superintendent U. S. Naval Academy Annapolis, Maryland
- 2 Department of Meteorology & Oceanography U. S. Naval Postgraduate School Monterey, California

Air Force

1 Hdqtrs., Air Weather Service (AWSSS/TIPD) U. S. Air Force Scott Air Force Base, Illinois 1 AFCRL (CRZF) L. G. Hanscom Field Bedford, Massachusetts

Army

- 1 Army Research Office Office of the Chief of R&D Department of the Army Washington 25, D. C.
- 1 U. S. Army Beach Erosion Board 5201 Little Falls Road, N. W. Washington 16, D. C.
- 1 Director
 U. S. Army Engineers Waterways
 Experiment Station
 Vicksburg, Mississippi
 Attn: Research Center Library

OTHER U. S. GOVERNMENT AGENCIES

- 1 Office of Technical Services Department of Commerce Washington 25, D. C.
- 10 Armed Services Technical Information Agency Arlington Hall Station Arlington 12, Virginia
- 2 National Research Council 2101 Constitution Avenue Washington 25, D. C. Attn: Committee on Undersea Warfare Attn: Committee on Oceanography
- 1 Commandant (OFU) U. S. Coast Guard Washington 25, D. C.
- 1 Commanding Officer
 U. S. Coast Guard Oceanographic Unit
 c/o Woods Hole Oceanographic Inst.
 Woods Hole, Massachusetts
- Director
 Coast & Geodetic Survey
 U. S. Department of Commerce
 Washington 25, D. C.
 Attn: Office of Ocean ography
- Director of Meteorological Research U. S. Weather Bureau Washington 25, D. C.

- 2 Library, U. S. Weather Bureau Washington 25, D. C.
- 2 Director, Bureau of Commercial Fisheries U. S. Fish & Wildlife Service Department of Interior Washington 25, D. C.
- 1 Laboratory Director
 Bureau of Commercial Fisheries
 Biological Laboratory
 U. S. Fish and Wildlife Service
 Washington 25, D. C.
- 1 Laboratory Director
 Bureau of Commercial Fisheries
 Biological Laboratory
 450-B Jordan Hall
 Standord, California

Bureau of Commercial Fisheries U. S. Fish & Wildlife Service Post Office Box 3830 Honolulu 12, Hawaii

- 1 Attn: Librarian
- National Oceanographic Data Center Naval Weapons Plant Washington 25, D. C.

RESEARCH LABORATORIES

- 2 Director Woods Hole Oceanographic Inst. Woods Hole, Massachusetts
- 3 Project Officer Laboratory of Oceanography Woods Hole, Massachusetts
- 1 Director
 Narragansett Marine Laboratory
 University of Rhode Island
 Kingston, Rhode Island
- 1 Bingham Oceanographic Laboratories Yale University New Haven, Connecticut

- 1 Gulf Coast Research Laboratory
 Post Office Box
 Ocean Springs, Mississippi
 Attn: Librarian
- 1 Chairman
 Department of Meteorology &
 Oceanography
 New York University
 See New York 53, New York
- 1 Director
 Lamont Geological Observatory
 Torrey Cliff
 Palisades, New York
- 1 Director
 Hudson Laboratories
 145 Palisades Street
 Dobbs Ferry, New York
- 1 Great Lakes Research Division Institute of Science & Technology University of Michigan Ann Arbor, Michigan
- 1 Attn: Dr. John C. Ayers
- 1 Dr. Harold Haskins
 Rutgers University
 New Brunswick, New Jersey
- 1 Director Chesapeake Bay Institute Johns Hopkins University 121 Maryland Hall Baltimore 18, Maryland
- 1 Mail No. J-3009
 The Martin Company
 Baltimore 3, Maryland
 Attn: J. D. Pierson
- 1 Dr. C. I. Beard
 Sylvania Electric Defense Lab
 P. O. Box 205
 Mt. View, California
- 1 Head, Department of Oceanography University of Washington Seattle 5, Washington
- 1 Mr. Henry D. Simmons, Chief Estuaries Section Waterways Experiment Station Corps of Engineers Vicksburg, Mississippi

- Oceanographic Institute Florida State University Tallahassee, Florida
- 1 Director, Marine Laboratory
 University of Miami
 #1 Rickenbacker Causeway
 Virginia Key
 Miami 49, Florida
- 1 Servicio de Hidrografia Naval Mantes de Oca 2124 Burenos Aires, Argentina Attn: Nestor C. L. Granelli Teniente de Navio
- 2 Head, Department of Oceanography and Meteorology Texas A & M College College Station, Texas
- Director
 Scripps Institution of Oceanography
 La Jolla, California
- 1 Allan Hancock Foundation University Park Los Angeles 7, California
- Department of Engineering University of California Berkeley, California
- 1 Head, Department of Oceanography Oregon State University Corvallis, Oregon
- 1 Director Arctic Research Laboratory Barrow, Alaska
- 1 Geophysical Institute of the University of Alaska College, Alaska
- Director
 Bermuda Biological Station for
 Research
 St. Georges, Bermuda
- 1 Department of Meteorology and Oceanography University of Hawaii Honolulu 14, Hawaii Attn: Dr. H. M. Johnson

- 1 Technical Information Center, CU-201 Lockheed Missile and Space Division 3251 Hanover Street Palo Alto, California
- Stanford Research Institute Department of Earth Sciences Menlo Park, California
- University of Pittsburgh
 Environmental Sanitation
 Department of Public Health Practice
 Graduate School of Public Health
 Pittsburgh 13, Pennsylvania
- 1 Director
 Hawaiian Marine Laboratory
 University of Hawaii
 Honolulu, Hawaii
- 1 Dr. F. B. Berger General Precision Laboratory Pleasantville, New York
- 1 Dr. J. A. Gast
 Wildlife Building
 Humboldt State College
 Arcata, California
- Department of Geodesy & Geophysics Cambridge University Cambridge, England
- 1 Applied Physics Laboratory University of Washington 1013 NE Fortieth Street Seattle 5, Washington
- 1 ONR Special Representative c/o Hudson Laboratories Columbia University 145 Palisade Street Dobbs Ferry, New York
- Bureau of Sport Fisheries and Wildlife
 U. S. Fish and Wildlife Service
 Sandy Hook Marine Laboratory
 P. O. Box 428
 Highlands, New Jersey
 Attn: Librarian
- 2 Defense Research Member Canadian Joint Staff 2450 Massachusetts Avenue, N. W. Washington 8, D. C.